




SÉRIES DX SERIES

3000 VA, # DE PIÈCE / PART # : DX 3000PHU

SPÉCIFICATIONS ÉLECTRIQUES / ELECTRICAL SPECIFICATIONS

<p>PHASE: 1</p> <p>FREQ.: 60 Hz.</p> <p>CLASSE ISOL. / INSUL. CLASS: H(180°C)</p> <p>ELEV. TEMP. / TEMP. RISE: < 115°C</p>	<p>TENSION / PRIMARY / PRIMAIRE / VOLTAGE</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">240/480</td> <td style="padding: 2px;">2, 2 ½ % ANFC, 2, 2 ½ % BNFC</td> </tr> </table>	240/480	2, 2 ½ % ANFC, 2, 2 ½ % BNFC	<p>TENSION / SECONDARY / SEC. / VOLTAGE</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px; text-align: center;">120/240</td> </tr> </table>	120/240																						
240/480	2, 2 ½ % ANFC, 2, 2 ½ % BNFC																										
120/240																											
			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="padding: 2px;">PRIMARY VOLTS</th> <th style="padding: 2px;">CONNECT PRIMARY LINES TO</th> <th style="padding: 2px;">INTER-CONNECT</th> <th style="padding: 2px;">CONNECT SECONDARY LINES TO</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; padding: 2px;">240</td> <td style="padding: 2px;">H1 - H7</td> <td style="padding: 2px;">H1 to H5 H3 to H7</td> <td style="padding: 2px;"></td> </tr> <tr> <td style="text-align: center; padding: 2px;">480</td> <td style="padding: 2px;">H1 - H7</td> <td style="padding: 2px;">H3 to H5</td> <td style="padding: 2px;"></td> </tr> <tr> <td colspan="4" style="text-align: center; padding: 2px;">SECONDARY VOLT</td> </tr> <tr> <td style="text-align: center; padding: 2px;">120</td> <td style="padding: 2px;"></td> <td style="padding: 2px;">X1 to X3 X2 to X4</td> <td style="padding: 2px;">X1 - X4</td> </tr> <tr> <td style="text-align: center; padding: 2px;">240</td> <td style="padding: 2px;"></td> <td style="padding: 2px;">X2 to X3</td> <td style="padding: 2px;">X1 - X4</td> </tr> </tbody> </table>	PRIMARY VOLTS	CONNECT PRIMARY LINES TO	INTER-CONNECT	CONNECT SECONDARY LINES TO	240	H1 - H7	H1 to H5 H3 to H7		480	H1 - H7	H3 to H5		SECONDARY VOLT				120		X1 to X3 X2 to X4	X1 - X4	240		X2 to X3	X1 - X4
PRIMARY VOLTS	CONNECT PRIMARY LINES TO	INTER-CONNECT	CONNECT SECONDARY LINES TO																								
240	H1 - H7	H1 to H5 H3 to H7																									
480	H1 - H7	H3 to H5																									
SECONDARY VOLT																											
120		X1 to X3 X2 to X4	X1 - X4																								
240		X2 to X3	X1 - X4																								

SPÉCIFICATIONS MÉCANIQUES / MECHANICAL SPECIFICATIONS: (dimensions = pouces/Inches).



Poids / Weight : 24.9 Kg (55 lbs)

Toutes les dimensions sont approximatives. Spécifications peuvent changer sans préavis.
 All dimensions and weights are approximate. Specifications may change without notice.



NUMÉRO DE MODÈLE:
 MODEL NUMBER:
DX 3000PHU

ZONE	REV	REVISION DESCRIPTION	DATE	APPROVAL APPROB.

Dessiné par: SS
 Drawn by:

DWG NO. 71CUDX3000PHU

REV 00

DATE: APRIL 19th 2010

PAGE: 1 de 1